P. ENT COOPERATION TREA.

	From the INTERNATIONAL BUREAU					
PCT	То:					
NOTIFICATION OF ELECTION (PCT Rule 61.2)	Commissioner US Department of Commerce United States Patent and Trademark Office, PCT 2011 South Clark Place Room 524 Arlington, VA 22202 ETATS-UNIS D'AMERIQUE					
Date of mailing (day/month/year) 26 October 2000 (26.10.00)	ETATS-UNIS D'AMERIQUE in its capacity as elected Office					
International application No. PCT/US00/07995	Applicant's or agent's file reference 10365/07302					
International filing date (day/month/year) 23 March 2000 (23.03.00)	Priority date (day/month/year) 23 March 1999 (23.03.99)					
Applicant						
SIDHU, Rajinder, S. et al						
1. The designated Office is hereby notified of its election made: X in the demand filed with the International Preliminary Examining Authority on: 18 September 2000 (18.09.00) in a notice effecting later election filed with the International Bureau on:						
2. The election X was was was not was not made before the expiration of 19 months from the priority de Rule 32.2(b).	ate or, where Rule 32 applies, within the time limit under					

Authorized officer

Telephone No.: (41-22) 338.83.38

Christelle Croci

Form PCT/IB/331 (July 1992)

Facsimile No.: (41-22) 740.14.35

The International Bureau of WiPO 34, chemin des Colombettes

1211 Geneva 20, Switzerland



INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference	FOR FURTHER see Notification of Transmittal of International Search Report						
10365/07302	ACTION (Form PCT/ISA/2	220) as well as, where applicable, item 5 below.					
International application No.	International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)					
PCT/US 00/07995	23/03/2000	23/03/1999					
Applicant							
CYTOCLONAL PHARMACEUTICS,	TNC						
orrodedine rimidinoses,	THO.						
This International Search Report has been according to Article 18. A copy is being tra	n prepared by this International Searching Auth Insmitted to the International Bureau.	hority and is transmitted to the applicant					
This International Search Report consists	of a total of4 sheets.						
	of a total of4 sheets. a copy of each prior art document cited in this	report.					
Basis of the report							
a. With regard to the language, the i	nternational search was carried out on the bases otherwise indicated under this item.	sis of the international application in the					
the international search wa Authority (Rule 23.1(b)).	as carried out on the basis of a translation of th	he international application furnished to this					
- ' ' '	dor amino acid sequence disclosed in the in	aternational application, the international search					
	nal application in written form.						
	rnational application in computer readable form	n.					
	furnished subsequently to this Authority in written form.						
	equently to this Authority in computer readble form.						
the statement that the sub- international application as	sequently furnished written sequence listing do s filed has been furnished.	oes not go beyond the disclosure in the					
C		s identical to the written sequence listing has been					
2. Certain claims were foun	d unsearchable (See Box I).						
3. Unity of invention is lack	•						
4. With regard to the title,							
X the text is approved as sub	mitted by the applicant.						
=	ed by this Authority to read as follows:						
5. With regard to the abstract,							
the text is approved as sub							
the text has been established within one month from the control of	ed, according to Rule 38.2(b), by this Authority date of mailing of this international search repo	y as it appears in Box III. The applicant may, ort, submit comments to this Authority.					
6. The figure of the drawings to be publis							
as suggested by the applica		X None of the figures.					
because the applicant failed							
because this figure better c	naracterizes the invention.						

			101/03 00/0/993
IPC 7	C12N15/31 C07K14/37 C12Q1/	/04	· · · · · · · · · · · · · · · · · · ·
According	to International Patent Classification (IPC) or to both national class	sification and IPC	
	S SEARCHED		
IPC 7			
	ation searched other than minimum documentation to the extent th		
	data base consulted during the international search (name of data		
BIOSIS	S, EPO-Internal, WPI Data, BIOTECHN	OLOGY ABS, SCIS	EARCH, CAB Data
	ENTS CONSIDERED TO BE RELEVANT		
Category '	Citation of document, with indication, where appropriate, of the	relevant passages	Relevant to claim No.
X	WEERAKOON N D ET AL: "Isolation characterization of the single beta-tubulin gene in Phytophthologinamomi."		55-67, 70-72, 78,79
Y	MYCOLOGIA, vol. 90, no. 1, January 1998 (19 pages 85-95, XP000929307 ISSN: 0027-5514 cited in the application the whole document	998-01),	1-9, 11-20, 24-26, 28-36, 38-49, 51-53, 74-77, 80-84
Y Furth	er documents are listed in the continuation of box C.		
			nbers are listed in annex.
'A" documer conside	egories of cited documents : nt defining the general state of the art which is not used to be of particular relevance	or priority date and no	ed after the international filing date tin conflict with the application but a principle or theory underlying the
" documen which is	it which may throw doubts on priority claim(s) or a cited to establish the publication date of another	involve an inventive st	relevance; the claimed invention novel or cannot be considered to ep when the document is taken alone
cnation	or other special reason (as specified) If referring to an oral disclosure, use, exhibition or	document is combined	relevance; the claimed invention to involve an inventive step when the with one or more other such docu-
P* documen later tha	it published prior to the international filing date but on the priority date claimed	in the art. "&" document member of the	on being obvious to a person skilled to same patent family
Date of the ac	ctual completion of the international search		nternational search report
24	July 2000	08/08/200)
lame and ma	alling address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL ~ 2280 HV Rijswijk	Authorized officer	
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Gurdjian,	D

INTERNATIONAL SEARCH REPORT

In. Application No PCT/US 00/07995

0.00	-V LOCCULATIVE CONCINENTS TO BE SEE	PCT/US 00/07995
C.(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	LONG DAVID M ET AL: "In vivo addition of telomeric repeats to foreign DNA generates extrachromosomal DNAs in the taxol-producing fungus Pestalotiopsis microspora." FUNGAL GENETICS AND BIOLOGY, vol. 24, no. 3, August 1998 (1998-08), pages 335-344, XP000929414, ISSN: 1087-1845 the whole document	1-9, 11-20, 24-26, 74,75, 80-82,97
Y	YOUNG D H ET AL: "Antifungal properties of taxol and various analogues." EXPERIENTIA (BASEL), vol. 48, no. 9, 1992, pages 882-885, XP000929422 & ISSN: 0014-4754 cited in the application the whole document	28-36, 38-49, 51-53, 76,77, 83,84,97
Y	RAO SRINIVASA ET AL: "Characterization of the Taxol Binding Site on the Microtubule: 2-(m-azidobenzoyl)taxol photolabels a peptide (amino acids 217-231) of beta-tubulin." JOURNAL OF BIOLOGICAL CHEMISTRY, vol. 270, no. 35, 1995, pages 20235-20238, XP002143078 • ISSN: 0021-9258 cited in the application the whole document	1-9, 11-20, 24-26
A	NOGALES EVA ET AL: "Structure of the alphabeta tubulin dimer by electron crystallography." NATURE (LONDON), vol. 391, no. 6663, 8 January 1998 (1998-01-08), pages 199-203, XP002143079 • ISSN: 0028-0836 the whole document	1-7, 11-20, 24-26
4	" Acremonium chrysogenum wild-type beta-tubulin." GENESEQ DATABASE ; ACESSION NUMBER R40226 ; JP5192157, XP002143080 t the whole document	1-7, 11-20, 24-26

0.10		PCT/US 00/0	
	ection) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category :	Citation of document, with indication, where appropriate, of the relevant passages	R	elevant to claim No.
P,X	MU J -H ET AL: "Analysis of beta-tubulin cDNAs from taxol-resistant Pestalotiopsis microspora and taxol-sensitive Pythium ultimum and comparison of the taxol-binding properties of their products." MOLECULAR AND GENERAL GENETICS, vol. 262, no. 4-5, December 1999 (1999-12), pages 857-868, XP002143081, ISSN: 0026-8925 the whole document		1-54

PATENT COOPERATION TREATY

PCT

REC'D 0 3 JUL 2001

WIPO PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's	or agent's file reference						
10365/0	7302	FOR FURTHER ACTION	See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)				
Internation	al application No.	International filing date (day/month	v/year) Priority date (day/month/year)				
PCT/US	00/07995	23/03/2000	23/03/1999				
Internation: C12N15/	al Patent Classification (IPC) or na	tional classification and IPC					
CYTOCL	ONAL PHARMACEUTICS,	INC. et al.					
1. This in and is	nternational preliminary exami transmitted to the applicant a	nation report has been prepared coording to Article 36.	by this International Preliminary Examining Authority				
2. This F	REPORT consists of a total of	11 sheets, including this cover s	sheet.				
Di.	en amended and are the basi	by ANNEXES, i.e. sheets of the is for this report and/or sheets co 7 of the Administrative Instruction	e description, claims and/or drawings which have ontaining rectifications made before this Authority ons under the PCT).				
These	annexes consist of a total of	13 sheets.	. 1				
3. This re	eport contains indications relati	ing to the following items:					
ı	☑ Basis of the report						
11	☐ Priority						
III	☐ Non-establishment of op	inion with regard to novelty, inve	entive step and industrial applicability				
IV	☑ Lack of unity of invention	1	The state of the s				
V	Reasoned statement und citations and explanation	der Article 35(2) with regard to no as suporting such statement	ovelty, inventive step or industrial applicability;				
VI	Certain documents cited	1					
VII	Certain defects in the inte						
VIII 	☑ Certain observations on t	the international application					
Date of subm	ission of the demand	Date of co	empletion of this report				
18/09/200		29.06.200	1				
preliminary e	ailing address of the international kamining authority:	Authorized	1 officer				
<u></u>	European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 e Fax: +49 89 2399 - 4465		No. +49 89 2399 8707				

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

I. Basis of the report

International application No. PCT/US00/07995

	•									
1	1. With regard to the elements of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)): Description, pages:									
	1-38 as originally filed									
	Claims, No.:									
	1-82	with telefax of	21/05/2001							
Drawings, sheets:										
	1/10-10/10	as originally filed								
	Sequence listing part of the description, pages:									
	1-32, as originally filed									
2	With respect to the level									
۷.	language in which the	guage, all the elements marked international application was file	above were available or furnished d, unless otherwise indicated und	d to this Authority in the der this item.						
	These elements were available or furnished to this Authority in the following language: , which is:									

3. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:

the language of a translation furnished for the purposes of the international search (under Rule 23.1(b)).

☐ the language of a translation furnished for the purposes of international preliminary examination (under Rule

international preliminary examination was carried out on the basis of the sequence listing:				
×	contained in the international application in written form.			
X	filed together with the international application in computer readable form.			

☐ the language of publication of the international application (under Rule 48.3(b)).

furnished subsequently to this Authority in written form.furnished subsequently to this Authority in computer readable form.

☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.

☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.

4. The amendments have resulted in the cancellation of:

55.2 and/or 55.3).

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/US00/07995

		the description,	pages:									
		the claims,	Nos.:									
		the drawings,	sheets:									
5	. 🖾	This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):										
		(Any replacement sh report.) see separate sheet						referred to	under ite	em 1 and	d annexe	ed to this
6.	Add	ditional observations, it	f necess	ary:								
IV	lar	k of unity of invention	. . .									
		esponse to the invitation		trict or na	v additio	nal foos t	ho applic	oont boo				
	_			and or pa	y addition	nanees i	irie appiic	Jani nas:				
		restricted the claims.										
		paid additional fees.										
		paid additional fees u	nder pro	test.								
		neither restricted nor	paid add	litional fee	es.							
2.		This Authority found to 68.1, not to invite the	hat the re applican	equireme t to restric	nt of unity	y of inver additiona	ntion is ne al fees.	ot compli	ed and ch	nose, ac	cording t	o Rule
3.	This	Authority considers th	at the re	quiremen	nt of unity	of inven	tion in ac	ccordance	with Rul	les 13.1,	, 13.2 and	d 13.3 is
		complied with.										
		not complied with for t	he follow	ving reaso	ons:							
I .	Cons exan	sequently, the following	g parts o ı this rep	f the inter	rnational	application	on were	the subje	ct of inter	national	prelimin	ary
	×	all parts.										
		the parts relating to cla	aims Nos	3. .								
	Citati	soned statement undo ions and explanation	er Articl s suppo	e 35(2) w orting suc	rith regar ch stater	rd to nov ment	elty, inv	entive s	tep or ind	dustrial	applicat	oility;
	Nove	lty (N)	Yes:	Claims	2-4,6,8,	,11-13,15	5-17,19,2	21,24-27,	29-31,33,	35,38-4	0,42-44,4	16,48,5

INTERNATIONAL PRELIMINARY **EXAMINATION REPORT**

International application No. PCT/US00/07995

1-54,62,63,71-77,80-98

Claims 1,5,7,9,10,14,18,20,22,23,28,32,34,36,37,41,45,47,49,50,55-61,64-No:

70,78,79

Inventive step (IS) Claims 12,13,25-27,39,40,52-54,63,73,80-86,89,90,92,98 Yes:

Claims 1-11,14-24,28-38,41-51,55-62,64-72,74-79,87,88,91,93-97 No:

Industrial applicability (IA) Yes: Claims 1-98

No: Claims

2. Citations and explanations see separate sheet

VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made: see separate sheet

Additional remarks Item I

- The priority appears to be validly claimed.
- This report is based on the claims as originally filed because the amendments of the claims as filed on 21.05.2001 are not based on the application as originally filed.
- 2.1 New claim 2 covers a DNA segment consisting of a fragment of SEQ ID NO: 1 having at least eighteen contiguous nucleotides. No basis could be found in the application as originally filed for such a segment. Such a fragment is also not directly and unambiguously derivable from Figure 8.

The same argument is valid for new claims 44 and 55.

2.2 New claim 3 is concerned with the DNA segment of claim 2 wherein the segment comprises the sequence from nucleotide 75 to 167 of SEQ ID NO: 1, wherein one or more nucleotide substitutions occur at specified positions (i.e. the substitutions are mandatory and the segment does <u>not</u> have the sequence of SEQ ID NO: 1). No basis could be found for such a substituted segment.

The same argument applies to new claims 5, 7, 13, 15, 17, 24, 26, 28, 38, 45, 47, 49, 56, 58, and 60.

In the application as originally filed the applicants compared the sequences of beta-tubulin derived from different organisms. However, it was not derivable from the application as originally filed that sequences having one or more substitutions at these positions were part of the invention. Moreover, specific substitutions were selected in a manner that was not derivable from the application as originally filed.

2.3 New claims 43, 54, and 78 define a beta-tubulin comprising at least three specific amino acids of the sequence shown in SEQ ID NO: 6.
No basis could be found for such a beta-tubulin in the application as originally filed. With this amendment the applicants attempt to exclude the beta-tubulin disclosed in D1 from the scope of said new claims. It should be noted, however,

that this disclaimer is not based on D1 since D1 does not disclose a beta-tubulin having only three of the eight amino acid substitutions.

- 2.4 Further amendments which go beyond the disclosure as originally filed may be present in the new set of claims. However, due to the number of unallowable amendments already identified this authority does not consider it to be expedient to perform a complete in-depth analysis of the claims.
- 3. Several claims appear to depend on claims on which they cannot depend. New claim 6, for example, depends on new claim 5 wherein the DNA segment has the sequence as shown in SEQ ID NO: 1 (nucleotide 708 to 764). The DNA segment of new claim 5, however, does not embrace the sequence shown in SEQ ID NO: 1 since at least one nucleotide substitution is mandatory.
- 4. The applicants provided a table comparing the subject-matter of the old claims with the subject-matter of the new claims. It should be noted, however, that the subject-matter of, for example, new claim 3 does not correspond to the subject-matter of old claim 7, because new claim 3 defines specific nucleotides which have to be substituted. Similarly, new claim 5 specifies nine nucleotide substitutions, whereas old claims 9 and 10 only specify three substitutions.
- 5. Due to the number of unallowable amendments, the unclarities introduced into the set of claims by the dependencies, and due to the unavailability of clear indications of the amendments and their basis, it is not possible to formulate a reasoned statement with respect to the novelty, inventive step or industrial applicability of the amended set of claims. Consequently, this report is based on the claims as originally filed.

Additional remarks Item IV

- 1. The international search has been drawn up in respect of the entire international application, but the IPEA finds that the application does not comply with the requirements of unity of invention (Article 34(3) and Rules 13 and 68 PCT).
- 2. An international application must relate to one invention only or to a group of

inventions so linked as to form a single general inventive concept.

Unity of invention is fulfilled only when there is a technical relationship among the inventions involving one or more of the same or corresponding special technical features, special technical features being such features that define a contribution which each of the claimed inventions, considered as a whole, makes over the prior art.

The technical relationship among the present subject-matter of claims 1, 28, and 55 is that all claims relate to "DNA segment encoding an oomycete β -tubulin". However, this relation cannot be considered as the special technical feature as defined above because it is not novel. In fact, β -tubulin from an oomycete was known in the art (Weerakon et al., Mycologia, vol. 90, 1998, p. 85-95).

The contributions claimed in the present application which are allegedly made over the prior art are:

- 1. β-tubulin from Pestalotiopsis microspora and its use;
- 2. β-tubulin Phytophthora cinnamomi and its use;
- 3. β-tubulin Phytophthora cinnamomi and its use

These contributions are not so linked as to form one single inventive concept. Hence, the present claims fall apart into at least three groups of inventions.

Additional remarks Item V

- 1. The present application discloses the nucleotide and amino acid sequences of beta-tubulin from three different oomycetes, <u>Pestalotiopsis microspora</u>, <u>Pythium ultimum</u>, and <u>Phytophthora cinnamomi</u>. The tubulin of <u>P. microspora</u> is taxol-resistant, whereas the tubulin of the latter two oomycetes in taxol-sensitive. The application furthermore discloses that a particular amino acid (219) of beta-tubulin can serve as an indicator of tubulin-resistance or -sensitivity.
- 2. The following documents were taken into consideration:

D1 (Weerakon et al., Mycologia, vol. 90, 1998, p. 85-95) discloses the isolation and characterization of the beta-tubulin gene of <u>Phytophthora cinnamomi</u>. It also

INTERNATIONAL PRELIMINARY International application No. PCT/US00/07995 EXAMINATION REPORT - SEPARATE SHEET

discloses that this beta-tubulin gene shares 98% sequence identity with a beta-tubulin gene from another Oomycete.

D2 (Young et al., Experientia, vol. 48, 1992, p. 882-885) discloses that the oomycete <u>P</u>. <u>capsici</u> is sensitive to taxol.

Contrary to P. capsici, P. microspora must be suspected to be resistant to taxol because it produces taxol itself (D3: Long et al., Fungal Genetics and Biology, vol. 24, 1998, p. 335-344; and US 5,861,302, cited in the application as the source of P. microspora).

D4 (Rao et al., The Journal of Biological Chemistry, vol. 270, 1995, p. 20235-20238) discloses a peptide of beta-tubulin to which taxol binds. These findings were confirmed in D5 (Nogales et al., Nature, vol. 391, issue of 08.01.1998, p. 199-203).

- 3. None of the available prior art documents appears to disclose or suggest that Threonine 219 would be crucial for sensitivity or resistance to taxol. The studies disclosed in D4 and D5 identified a peptide containing residues 217-231 of betatubulin derived from bovine brain which binds to taxol. However, these documents do not appear to draw the attention to any particular residue within this peptide. Moreover, it could not necessarily be concluded that the binding site would be at the same positions in fungal beta-tubulin.
- 4. However, in view of the disclosures of D1, the IPEA considers that the subject-matter of claims 1, 5, 7, 9, 10, 14,18, 20, 22, 23, 28, 32, 34, 36, 37, 41, 45, 47, 49, 50, 55-61, 64-70, 78, and 79 has been anticipated by the prior art and therefore contravene Article 33(2)(3) PCT.
- 4.1 Claim 55 covers a DNA segment encoding a beta-tubulin of <u>P</u>. <u>cinnamomi</u> or a portion thereof, consisting essentially of at least a portion of SEQ ID NO: 5

The DNA sequence of the beta-tubulin of P. cinnamomi was known from D1, which thus anticipate the subject-matter of claim 55.

INTERNATIONAL PRELIMINARY International application No. PCT/US00/07995 EXAMINATION REPORT - SEPARATE SHEET

The same argument is valid for claims 56, 58, 60, 64, 65, 67, 70, 78, and 79.

4.2 Claim 1 covers a DNA segment encoding a portion of a beta-tubulin. One amino acid is considered to be a portion of a given protein. In its present formulation claim 5 thus embraces any DNA segment. It should be noted that the source of a DNA segment is irrelevant if said DNA segment is identical to an already known segment.

The same objections apply to claims 5, 14, 18, 28, 32, 41, 45, 55, and 64.

4.3 According to claim 7 at least one nucleotide is substituted. This wording embraces any DNA encoding beta-tubulin.

The same objection applies to claims 9, 10, 20, 22, 23, 34, 36, 37, 47, 49, 50, 57, 59, 61, 66, 68, and 69.

- The subject-matter of claims 1-11, 14-22, 24, 28-38, 41-49, 51, 57, 59, 61, 62, 66, 68, 69, 71, 72, 74-77, 87, 88, 91, and 93-97 is not considered to be based on an inventive activity, contrary to **Article 33(3) PCT**.
- 5.1 Once the tubulin of D1 is known it does not require to provide variants thereof having at least one nucleotide changed but no further technical features. The subject-matter of claims 57, 59, 61, 62, 66, 68, 69, 71 and 72 thus can be obtained in an obvious manner.
- 5.2 Claims 91 and 93 embrace a fungal cell transformed with the beta-tubulin disclosed in D1. It does not require inventive activity to transform an organism with a known nucleic acid.
- 5.3 It can be understood from D1 that the DNA encoding beta-tubulin is well conserved between oomycetes (98% identity between P. cinnamomi and Achlya klebsiana). The skilled person would know that the sequences disclosed in D1 can be used to isolate beta-tubulin genes from other oomycetes. The subject-matters of claims 1-11, 14-22, 24, 28-38, 41-49, 51, and 74-77, insofar as novel, thus are not considered to be based on an inventive activity (Article 33(3) PCT).

- 5.4 It was known in the art that taxol acts on beta-tubulin. The methods of claims 87 and 88 thus are trivial once taxol resistant beta-tubulin is known.
- 5.5 The methods of claims 94-97 can be performed without having knowledge of the sequence of taxol resistant or taxol sensitive beta-tubulin. It appears that these methods are trivial to the skilled person who was aware of the mode of action of taxol and of the presence of sensitive and resistant microorganisms.

Additional remarks Item VIII

 Claim 1 merely cites the technical problem which is to be solved ("DNA encoding tubulin"), without containing any true technical features of the claimed matter.
 Claim 1 should specify the matter for which protection is sought by its technical features, i.e. by its sequence.

The same objection applies to claims 2-4, 12-17, 25-31, 39-44, 52-54, 62, 63, and 73.

The requirement of Article 5 PCT not only apply to an individual claim but also to the set of claims as a whole.

Claim 7 appears to be a dependent claim, depending on claim 6 (which depends on claim 1). A closer look, however, reveals that the scope of claim 7 is much broader than the scope of claim 6, because the sequence which was defined in claim 6 may be changed again. Claim 7 thus is an independent claim.

The same objection applies to most of the claims covering DNA or amino acid sequences.

- 3. According to claim 7 at least one nucleotide in the claimed sequence is substituted. It is not clear, however, with respect to what said nucleotide is substituted.
- 4. The present application does not appear to disclose antibodies that could distinguish between taxol-sensitive and -resistant tubulin. It is not clear whether such antibodies can be obtained, and thus whether the method according to

INTERNATIONAL PRELIMINARY International application No. PCT/US00/07995 EXAMINATION REPORT - SEPARATE SHEET

claims 80-86 can be put into practise.

- Claim 88 covers a method comprising the step of providing mycelia as depicted in SEQ ID NO: 6. Said SEQ ID NO 6. does not depict a mycelia but an amino acid sequence.
- 6. Claim 89 covers a method of altering the taxol binding property of a recombinantly expressed beta-tubulin.
 The present application does not provide any evidence that the taxol binding properties of e.g. bovine brain beta-tubulin would be modified if the amino acid corresponding to position 219 of SEQ ID NO: 2 would be modified.
- 7. The subject-matter of claim 93 appears to be identical to the subject-matter of claim 91.

5

We claim:

- 1. A purified DNA segment encoding a beta-tubulin of the fungal species Pestalotiopsis microspora or a portion thereof, wherein said beta-tubulin has an amino acid sequence selected from the group consisting of SEQ ID NO:2 and SEQ ID NO:2 comprising at least one conservative modification thereof, and wherein said portion comprises one or more taxol binding sites selected from the group consisting of taxol binding site I and taxol binding site II.
- 2. The DNA segment of claim 1, wherein said DNA segment consists of a fragment of SEQ ID NO:1 having at least eighteen contiguous nucleotides.
 - 3. The DNA segment of claim 2, wherein said portion comprises the nucleotide sequence from nucleotide 75 to nucleotide 167 of SEQ ID NO:1, wherein one or more nucleotide substitutions occur in the group consisting of nucleotide 129, nucleotide 130, nucleotide 131, nucleotide 138, nucleotide 139, nucleotide 140, nucleotide 141, nucleotide 142, nucleotide 143, nucleotide 147, nucleotide 148, and nucleotide 149.
 - 4. The DNA segment of claim 3, wherein said portion comprises the nucleotide sequence from nucleotide 75 to nucleotide 167 of SEQ ID NO:1.
 - 5. The DNA segment of claim 2, wherein said portion comprises the nucleotide sequence from nucleotide 708 to nucleotide 764 of SEQ ID, NO:1, wherein one or more nucleotide substitutions occur in the group consisting of nucleotide 726, nucleotide 727, nucleotide 728, nucleotide 729, nucleotide 730, nucleotide 731, nucleotide 735, nucleotide 736 and nucleotide 737.
 - 6. The DNA segment of claim 5, wherein said portion comprises the nucleotide sequence from nucleotide 708 to nucleotide 764 of SEQ ID NO:1.
 - 7. The DNA segment of claim 2, wherein said portion consists of the nucleotide sequence from nucleotide 75 to nucleotide 1412 of SEQ ID NO:1, wherein one or more nucleotide substitutions occur in the group consisting of nucleotide 129, nucleotide 130, nucleotide 131, nucleotide 138, nucleotide 139, nucleotide 140, nucleotide 141, nucleotide

Sidlev

- 142, nucleotide 143, nucleotide 147, nucleotide 148, nucleotide 149, nucleotide 726, nucleotide 727, nucleotide 728, nucleotide 729, nucleotide 730, nucleotide 731, nucleotide 735, nucleotide 736 and nucleotide 737.
 - 8. The DNA segment of claim 7, wherein said portion consists of the nucleotide sequence from nucleotide 75 to nucleotide 1412 of SEQ ID NO:1.
- 9. The DNA segment of claim 1, 3, 5 or 7, wherein said one or more nucleotide with the substitutions does not alter the taxol binding capacity of said portion.
 - 10. The DNA segment of claim 1, 3, 5 or 7, wherein said one or more nucleotide substitutions alters the taxol binding capacity of said portion.
- 11. An amino acid sequence comprising at least a portion of a beta-tubulin of the fungal species Pestalotiopsis microspora, wherein said beta-tubulin has an amino acid sequence selected from the group consisting of SEQ ID NO:2 and SEQ ID NO:2 comprising at least one conservative modification thereof, and wherein said portion comprises one or more taxol binding sites selected from the group consisting of taxol binding site I and taxol 5 binding site II.
- 12. The amino acid sequence of claim 11, wherein said portion consists of a fragment of SEQ ID NO:2 having at least six contiguous amino acids.
 - 13. The amino acid sequence of claim 12, wherein said portion comprises the amino acid sequence from amino acid 1 to amino acid 31 of SEQ ID NO:2, wherein one or more amino acid substitutions occur in the group consisting of amino acid 19, amino acid 22, amino acid 23, and amino acid 25.
 - 14. The amino acid sequence of claim 13, wherein said portion comprises the amino acid sequence from amino acid 1 to amino acid 31 of SEQ ID NO:2.
 - 15. The amino acid sequence of claim 12, wherein said portion comprises the amino acid sequence from amino acid 212 to amino acid 230 of SEQ ID NO:2, wherein one or more amino acid substitutions occur in the group consisting of amino acid 218, amino acid 219 and amino acid 221.


10365/07302

- 16. The amino acid sequence of claim 15, wherein said portion comprises the amino acid sequence from amino acid 212 to amino acid 230 of SEQ ID NO:2.
- 17. The amino acid sequence of claim 12, wherein said portion consists of the amino acid sequence from amino acid 1 to amino acid 446 of SEQ ID NO:2, wherein one or more amino acid substitutions occur in the group consisting of amino acid 19, amino acid 22, amino acid 23, amino acid 25, amino acid 218, amino acid 219 and amino acid 221.
- 18. The amino acid sequence of claim 17, wherein said portion consists of the amino acid sequence from amino acid 1 to amino acid 446 of SEQ ID NO:2.
 - 19. The amino acid sequence of claim 11, 13, 15 or 17, wherein said portion contains at least one amino acid substitution that alters the taxol binding property of said portion.
 - 20. The amino acid sequence of claim 11, 13, 15 or 17, wherein said portion contains at least one amino acid substitution that does not alter the taxol binding property of said portion.
 - 21. The amino acid sequence of claim 11, wherein said amino acid sequence is substituted with any amino acid which perturbs the three-dimensional structure of said amino acid sequence surrounding amino acid 219 as numbered in SEQ ID NO:2.
- "鞭马雄"经验。 22. A purified DNA segment encoding a beta-tubulin of the fungal species Pythium ultimum or a portion thereof, wherein said beta-tubulin has an amino acid sequence selected from the group consisting of SEQ ID NO:4 and SEQ ID NO:4 comprising at least one conservative modification thereof, and wherein said portion comprises one or more taxol binding sites selected from the group consisting of taxol binding site I and taxol binding site
 - 23. The DNA segment of claim 22, wherein said DNA segment consists of a fragment of SEQ ID NO:3 having at least eighteen contiguous nucleotides.

Branch Branch Control

htFAX

10365/07302



- 25. The DNA segment of claim 24, wherein said portion comprises the nucleotide 海川湖西湖上鄉 sequence from nucleotide 92 to nucleotide 184 of SEQ ID NO:3.
- 26. The DNA segment of claim 23, wherein the portion comprises the nucleotide sequence from nucleotide 725 to nucleotide 781 of SEQ ID NO:3, wherein one or more nucleotide substitutions occur in the group consisting of nucleotide 743, nucleotide 744, nucleotide 745, nucleotide 746, nucleotide 747, nucleotide 748, nucleotide 752, nucleotide 15 1753 and nucleotide 754.
 - 27. The DNA segment of claim 26, wherein the portion comprises the nucleotide sequence from nucleotide 725 to nucleotide 781 of SEQ ID NO:3.
- 28. The DNA segment of claim 23, wherein said portion consists of the nucleotide sequence from nucleotide 92 to nucleotide 1429 of SEQ ID NO:3, wherein one or more Fig. 18 in the group consisting of nucleotide 146, nucleotide 147, nucleotide 148, nucleotide 155, nucleotide 156, nucleotide 157, nucleotide 158, nucleotide 159, nucleotide 160, nucleotide 164, nucleotide 165, nucleotide 166, nucleotide 743, nucleotide 744, nucleotide 745, nucleotide 746, nucleotide 747, nucleotide 748, nucleotide 752, nucleotide 753 and nucleotide 754.
 - 29. The DNA segment of claim 28, wherein said portion consists of the nucleotide sequence from nucleotide 92 to nucleotide 1429 of SEQ ID NO:3.
 - 30. The DNA segment of claim 22, 24, 26 or 28, wherein said one or more nucleotide substitutions does not alter the taxol binding capacity of said portion.
 - 31. The DNA segment of claim 22, 24, 26 or 28, wherein said one or more ् भेक्षान क्षेत्र होत्र प्राप्त leotide substitutions alters the taxol binding capacity of:said portion.


参加美国的特别的工。

10365/07302

- - 32. An amino acid sequence comprising at least a portion of a beta-tubulin of the fungal species *Pythium ultimum*, wherein said portion has an amino acid sequence selected from the group consisting of SEQ ID NO:4 and SEQ ID NO:4 comprising at least one conservative modification thereof, and wherein said portion comprises one or more taxol binding sites selected from the group consisting of taxol binding site I and taxol binding site
 - 33. The amino acid sequence of claim 32, wherein said portion consists of a fragment of SEQ ID NO:4 having at least six contiguous amino acids.
 - 34. The amino acid sequence of claim 33, wherein said portion comprises the amino acid sequence from amino acid 1 to amino acid 31 of SEQ ID NO:4, wherein one or more amino acid substitutions occur in the group consisting of amino acid 19, amino acid 22, amino acid 23, and amino acid 25.
 - 35. The amino acid sequence of claim 34, wherein said portion comprises the amino acid sequence from amino acid 1 to amino acid 31 of SEQ ID NO:4.
 - 36. The amino acid sequence of claim 33, wherein said portion comprises the amino sequence from amino acid 212 to amino acid 230 of SEQ ID NO:4, wherein one or more amino acid substitutions occur in the group consisting of amino acid 218, amino acid 219 and amino acid 221.
 - 37. The amino acid sequence of claim 36, wherein said portion comprises the amino sequence from amino acid 212 to amino acid 230 of SEQ ID NO:4.
 - 38. The amino acid sequence of claim 33, wherein said portion consists of the amino acid sequence from amino acid 1 to amino acid 446 of SEQ ID NO:4, wherein one or more amino acid substitutions occur in the group consisting of amino acid 19, amino acid 22, amino acid 23, amino acid 25, amino acid 218, amino acid 219 and amino acid 221.
- 39. The amino acid sequence of claim 38, wherein said portion consists of the amino acid sequence from amino acid 1 to amino acid 446 of SEQ ID NO:4.

10365/07302

ghtFAX



- 40. The amino acid sequence of claim 32, 34, 36 or 38, wherein said portion contains at least one amino acid substitution that alters the taxol binding property of said portion.
- 41. The amino acid sequence of claim 32, 34, 36 or 38, wherein said portion contains at least one amino acid substitution that does not alter the taxol binding property of said portion.
 - 42. The amino acid sequence of claim 32, wherein said amino acid sequence is substituted with any amino acid which perturbs the three-dimensional structure of said amino acid sequence surrounding amino acid 219 as numbered in SEQ ID NO:4.
- 43. A purified DNA segment encoding a beta-tubulin of the fungal species |解 | 聯口權 | 協 Phytophthora cinnamomi or a portion thereof, wherein said beta-tubulin has an amino acid sequence selected from the group consisting of SEQ ID NO:6 and SEQ ID NO:6 comprising at least one conservative modification thereof, and wherein said portion has at least three amino acids selected from the group consisting of amino acid 24, amino acid 219, amino acid 249, amino acid 251, amino acid 252, amino acid 253, amino acid 359 and amino acid 428, and wherein said portion comprises one or more taxol binding sites selected from the group consisting of taxol binding site I and taxol binding site II.
 - 44. The DNA segment of claim 43, wherein said DNA segment consists of a fragment of SEQ ID NO:5 having at least eighteen contiguous nucleotides.
- 45. The DNA segment of claim 44, wherein said portion comprises the nucleotide The property sequence from nucleotide 11 to nucleotide 103 of SEQ ID NO:5, wherein one or more nucleotide substitutions occur in the group consisting of nucleotide 65, nucleotide 66, nucleotide 67, nucleotide 74, nucleotide 75, nucleotide 76, nucleotide 77, nucleotide 78, nucleotide 79, nucleotide 80, nucleotide 81, nucleotide 82, nucleotide 83, nucleotide 84, and 5 nucleotide 85, provided that when said nucleotide substitutions result in a single amino acid change, nucleotide 80 to nucleotide 82 does not encode isoleucine.
- (三)种的 (1)相 (1)相 46. The DNA segment of claim 45, wherein said portion comprises the nucleotide sequence from nucleotide 11 to nucleotide 103 of SEQ ID NO:5:

ghtFAX

10365/07302

學。實質與自由

5

- 47. The DNA segment of claim 44, wherein said portion comprises the nucleotide sequence from nucleotide 644 to nucleotide 700 of SEQ ID NO:5, wherein one or more nucleotide substitutions occur in the group consisting of nucleotide 662, nucleotide 663, nucleotide 664, nucleotide 665, nucleotide 666, nucleotide 667, nucleotide 672 and nucleotide 673, provided that when said nucleotide substitutions result in a single 本語 中部 中部 amino acid change, nucleotide 665 to nucleotide 667 does not encode asparagine.
 - 48. The DNA segment of claim 47, wherein said portion comprises the nucleotide sequence from nucleotide 644 to nucleotide 700 of SEQ ID NO:5.
- 49. The DNA segment of claim 44, wherein said fragment consists of the nucleotide sequence from nucleotide 11 to nucleotide 1342 of SEQ ID NO:5, wherein one or more nucleotide substitutions occur in the group consisting of nucleotide 65, nucleotide 66, nucleotide 67, nucleotide 74, nucleotide 75, nucleotide 76, nucleotide 77, nucleotide 78, 5 nucleotide 79, nucleotide 80, nucleotide 81, nucleotide 82, nucleotide 83, nucleotide 84, nucleotide 85, nucleotide 662, nucleotide 663, nucleotide 664, nucleotide 665, nucleotide 666, nucleotide 667, nucleotide 671, nucleotide 672 and nucleotide 673, provided that when said nucleotide substitutions result in a single amino acid change, nucleotide 80 to . 10 encode asparagine.
 - 50. The DNA segment of claim 49, wherein said fragment consists of the nucleotide sequence from nucleotide 11 to nucleotide 1342 of SEQ ID NO:5.
 - 51. The DNA segment of claim 43, 45, 47 or 49, wherein said one or more inucleotide substitutions does not alter the taxol binding capacity of said portion.
 - 52. The DNA segment of claim 43, 45, 47 or 49, wherein said one or more nucleotide substitutions alters the taxol binding capacity of said portion.
 - 53. The DNA segment of claim 1, 5, 22, 26, 43 or 47, wherein said portion is able to interact with alpha-tubulin. 医四种间的 中军 5

5

ightFAX

10365/07302

- 54. An amino acid sequence comprising at least a portion of a beta-tubulin of the 學化學的關係 fungal species Phytophthora cinnamomi, wherein said portion has an amino acid sequence selected from the group consisting of SEQ ID NO:6 and SEQ ID NO:6 comprising at least one conservative modification thereof, and wherein said portion has at least three amino acids selected from the group consisting of amino acid 24, amino acid 219, amino acid 249, amino acid 251, amino acid 252, amino acid 253, amino acid 359 and amino acid 428, and wherein said portion comprises one or more taxol binding sites selected from the group consisting of taxol binding site I and taxol binding site II.
 - 55. The amino acid sequence of claim 54, wherein said portion consists of a fragment of SEQ ID NO:6 having at least six contiguous amino acids.
- 56. The amino acid sequence of claim 55, wherein said fragment comprises the amino acid sequence from amino acid 1 to amino acid 31 of SEQ ID NO:6, wherein one or more amino acid substitutions occur in the group consisting of amino acid 19, amino acid 22, amino acid 23, amino acid 24, and amino acid 25, provided that when only one amino acid is substituted, amino acid 24 is not isoleucine.
 - 57. The amino acid sequence of claim 56, wherein said fragment comprises the amino acid sequence from amino acid 1 to amino acid 31 of SEQ ID NO:6.
 - 58. The amino acid sequence of claim 55, wherein said fragment comprises the amino acid sequence from amino acid 212 to amino acid 230 of SEQ ID NO:6, wherein one or more amino acid substitutions occur in the group consisting of amino acid 218, amino acid 219 and amino acid 221, provided that when only one amino acid is substituted, amino acid 219 is not asparagine.
- 學"豐田田縣"。 59. The amino acid sequence of claim 58, wherein said fragment comprises the amino acid sequence from amino acid 212 to amino acid 230 of SEQ ID NO:6.
- 60. The amino acid sequence of claim 55, wherein said fragment consists of the amino acid sequence from amino acid 1 to amino acid 446 of SEQ ID NO:6, wherein one or more amino acid substitutions occur in the group consisting of amino acid 19, amino acid

歐洲門門達古

5

10365/07302

- amino acid 221, provided that when only one amino acid is substituted, amino acid 24 is not isoleucine or amino acid 219 is not asparagine.
 - 61. The amino acid sequence of claim 60, wherein said fragment consists of the amino acid sequence from amino acid 1 to amino acid 446 of SEQ ID NO:6.
 - 62. The amino acid sequence of claim 54, 56, 58 or 60, wherein said portion contains at least one amino acid substitution that alters the taxol binding property of said portion.
 - 63. The amino acid sequence of claim 54, 56, 58 or 60, wherein said portion contains at least one amino acid substitution that does not alter the taxol binding property of said portion.
 - 64. The amino acid sequence of claim 54, wherein said amino acid sequence is substituted with any amino acid which perturbs the three-dimensional structure of said amino acid sequence surrounding amino acid 219, provided that when only one amino acid is substituted at amino acid 219, the substituted amino acid is not asparagine.
 - 65. The amino acid sequence of claim 11, 15, 32, 36, 54 or 58, wherein said portion is able to interact with alpha-tubulin
 - 66. A vector comprising a purified DNA segment of claim 1, 2, 22, 23, 43 or 44.
 - 67. The vector of claim 66, wherein said portion encodes at least one taxol binding site.
 - 68. A method of determining the taxol binding capacity of a beta-tubulin or betaharman in the compound comprising

providing monoclonal antibodies raised against amino acid sequences comprising at least one taxol binding site of a beta-tubulin from taxol-resistant Pestalotiopsis microspora as depicted in SEQ ID NO:2, taxol-scnsitive Pythium ultimum as depicted in SEQ ID NO:4, or taxol-sensitive Phytophthora cinnamomi as depicted in SEQ ID NO:6 to form a reagent; contacting said beta-tubulin with said reagent; and

determining degree of binding between said monoclonal antibodies in said reagent and said beta-tubulin or beta-tubulin-like compound;

- 10 whereby bound monoclonal antibodies that specifically recognize a taxol-sensitive binding site of a beta-tubulin indicate taxol sensitivity and whereby bound monoclonal antibodies that specifically recognize a taxol-resistant binding site of a beta-tubulin indicate taxol resistance.
 - 69. The method of claim 68, wherein said taxol-sensitive binding site is taxol binding site II with threonine at amino acid 219 as numbered in SEQ ID NO:2 and wherein said taxol-resistant binding site is taxol binding site II without threonine at amino acid 219 as numbered in SEQ ID NO:2.
 - 70. The method of claim 68 or 69, wherein said monoclonal antibodies are raised against an amino acid sequence comprising at least one taxol binding site of a beta-tubulin from said Pestalotiopsis microspora as depicted in SEQ ID NO:2.
 - 71. The method of claim 68 or 69, wherein said monoclonal antibodies are raised against an amino acid sequence comprising at least one taxol binding site of a beta-tubulin from said Pythium ultimum as depicted in SEQ ID NO:4.
 - 72. The method of claim 68 or 69, wherein said monoclonal antibodies are raised against an amino acid sequence comprising at least one taxol binding site of a beta-tubulin from said Phytophthora cinnamomi as depicted in SEQ ID NO:6.
 - 73. The method of claims 68, 69, 70, 71 or 73, wherein said beta-tubulin or betatubulin-like protein is selected from the group consisting of recombinantly expressed protein, exogenously isolated protein, synthetic peptides, and cell cultures.
- "特" 1時 16年 74. A method of screening a composition of matter for the presence of taxol or taxol-like compounds comprising

providing taxol-binding beta-tubulins with amino acid sequences having threonine at amino acid 219 as numbered in SEQ ID NO:4, wherein said beta-tubulins are added to alpha-tubulin to form a reagent;

contacting said composition of matter with said reagent; and

5

"特别明,第二

10

15

10365/07302

determining the ability of said composition of matter to promote microtubulin assembly or prevent depolymerization of assembled microtubulins under depolymerizing conditions:

- 10 whereby the ability to promote microtubule assembly or prevent depolymerization indicates the possible presence of taxol or taxol-like compounds in said composition of matter.
 - 75. A method of screening a composition of matter for the presence of taxol or taxol-like compounds comprising

generating taxol-sensitive and taxol-resistant isogenic fungal cells from one of the species Pestalotiopsis microspora, Pythium ultimum, or Phytophthora cinnamomi, wherein the taxol resistant strain of a natively taxol sensitive fungus is generated by transforming said fungus with a vector encoding a nontaxol-binding beta-tubulin wherein the amino acid at position 219 as numbered in SEQ ID NO:2 is not threonine, or wherein the taxol sensitive strain of a natively taxol-resistant fungus is generated by transforming said fungus with a vector encoding a taxol-binding beta-tubulin wherein the amino acid at position 219 as numbered in SEQ ID NO:2 is threonine;

contacting said composition of matter with the mycelia from said isogenic fungal strains in the presence of labeled taxol; and

determining the degree of competitive inhibition of binding between the betatubulins in said isogenic fungal strains and said labeled taxol by said composition of matter; whereby said composition of matter is determined to possess taxol or taxol-like

compounds if it is able to block labeled taxol binding to the taxol-sensitive beta-tubulins in said isogenic fungal strains.

76. A method of developing a taxol-sensitive fungal cell from a taxol-resistant 新年 中華 (1919) fungal cell comprising

> transforming said taxol-resistant fungal cell by introducing a DNA segment encoding taxol-binding beta-tubulin comprising threonine at amino acid 219 as numbered in SEQ ID

5 NO:2;

學《神科學》(韓

10365/07302

wherein said transformed fungal cell expresses the DNA segment under the control of a suitable constitutive or inducible promoter when exposed to conditions which permit expression.

77. A transgenic taxol-sensitive fungal cell produced from a taxol-resistant fungal cell according to a method comprising

transforming said taxol-resistant fungal cell by introducing a DNA segment encoding transforming said taxol-resistant fungal cell by introducing a DNA segment encoding transforming said taxol-binding beta-tubulin of *Pythium ultimum* comprising a codon for threonine at amino a cid 219 as numbered in SEQ ID NO:4;

wherein said transformed fungal cell expresses the DNA segment under the control of a suitable constitutive or inducible promoter when exposed to conditions which permit expression.

78. A transgenic taxol-sensitive fungal cell produced from a taxol-resistant fungal

transforming said taxol-resistant fungal cell by introducing a DNA segment encoding a taxol-binding beta-tubulin of *Phytophthora cinnamomi* comprising a codon for threonine at amino acid 219 as numbered in SEQ ID NO:6 and comprising at least two codons selected from the group consisting of a codon for valine at amino acid 24, a codon for aspartic acid at amino acid 249, a codon for arginine at amino acid 251, a codon for lysine at amino acid 252, a codon for leucine at amino acid 253, a codon for lysine at amino acid 359, and a codon for alanine at amino acid 428 as numbered in SEQ ID NO:5;

wherein said transformed fungal cell expresses the DNA segment under the control of a suitable constitutive or inducible promoter when exposed to conditions which permit expression.

79. A method of developing a taxol-resistant fungal cell from a taxol-sensitive fungal cell comprising

transforming said taxol-sensitive fungal cell by introducing a DNA segment encoding a non-taxol-binding beta-tubulin wherein amino acid 219 as numbered in SEQ ID

5 NO:2 is not threonine;

海州湖 田縣 小



wherein said transformed fungal cell expresses the DNA segment under the control of a suitable constitutive or inducible promoter when exposed to conditions which permit expression.

80. A transgenic taxol-resistant fungal cell produced from a taxol-sensitive fungal cell according to a method comprising

transforming said taxol-sensitive fungal cell by introducing a DNA segment encoding a non-taxol-binding beta-tubulin, wherein said DNA segment does not encode

wherein said transformed fungal cell expresses the DNA segment under the control of a suitable constitutive or inducible promoter when exposed to conditions which permit expression.

81. A method of screening a composition of matter for the presence of taxol or taxol-like compounds comprising

providing isogenic taxol-resistant fungal cells and taxol-sensitive fungal cells, wherein the difference between the taxol-resistant fungal cells and the taxol-sensitive fungal cells is the identity of amino acid 219 as numbered in SEQ ID NO:2;

contacting said composition of matter with said fungal cells separately; determining the growth of both strains of fungal cells;

whereby said composition of matter is determined to possess taxol or taxol-like compounds if it is able to inhibit the growth of taxol-sensitive fungal cells but not able to inhibit the growth of taxol-resistant fungal cells.

82. A method for controlling the growth of plant pathogens on a plant comprising determining if said plant pathogen is taxol-sensitive, wherein said plant pathogen is designated as taxol-sensitive if amino acid 219 as numbered in SEQ ID NO:2 is threonine;

treating said plant and soil surrounding said plant with a taxol-producing Pestalotiopsis microspora if said plant pathogen is taxol-sensitive.